

Attorney Docket No.: CYPR-CD01070

28174  
RECEIVED  
SEP - 3 2003  
TECHNOLOGY CENTER 2000

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

I hereby certify that this transmittal of the below described document is being deposited with the United States Postal Service in an envelope bearing First Class Postage and addressed to the Commissioner for Patents P.O. Box 1450, Alexandria, VA 22313-1450, on the below date of deposit.

Date of Deposit:	08/22/03	Name of Person Making the Deposit:	KATHERINE RINALDI	Signature of the Person Making the Deposit:	<i>Katherine Rinaldi</i>
------------------	----------	------------------------------------	-------------------	---------------------------------------------	--------------------------

In re Application of: P. S. Mohandas and Anil Agarwal

Serial No.: 09/987,628

Examiner: Nguyen, K. V.

Filed: 11/15/01

Art Unit: 2817

For: HIGH-SPEED DIFFERENTIAL PREAMPLIFIER

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT TRANSMITTAL**

1. Transmitted herewith is an amendment for this application

☒ Transmitted herewith is a response to an office action for the above identified patent application.  
( 10 sheets)

Transmitted herewith are \_\_\_\_\_ sheets of substitute formal drawings.

Other: \_\_\_\_\_

2. Applicant is other than a small entity

**Extension of Term**

3. The proceedings herein are for a patent application and the provisions of 37 C.F.R. 1.136 apply.

(a) ☒ Applicant petitions for an extension of time under 37 C.F.R. 1.136  
(fees: 37 C.F.R. 1.17(a)-(d) for the total number of months checked below:)

<u>Extension</u>	<u>Fee</u>
<input type="checkbox"/> one month	\$110.00
<input checked="" type="checkbox"/> two months	\$410.00
<input type="checkbox"/> three months	\$930.00
<input type="checkbox"/> four months	\$1,450.00

**Fee \$ 410.00**

If an additional extension of time is required, please consider this a petition therefor.

(b) ☐ Applicant believes that no extension of term is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition for extension of time.

08/25/2003 CCHAU1 00000167 09987620

410.00 DP

410.00 DP

**Fee Calculation**

4. The fee for claims (37 C.F.R. 1.16(b)-(d)) has been calculated as shown below:

<b>(for other than a small entity)</b>					
Fee Items	Claims Remaining After Amendment	Highest Number of Claims Previously Paid For	Present Extra Claims	Fee Rate	Total
Total Claims	15	- 20 =	0	x \$18.00	\$0.00
Independent Claims	4	- 4 =	0	x \$84.00	\$0.00
Multiple Dependent Claim Fee (one or more, first added by this amendment)				\$260.00	\$0.00
<b>Total Fees</b>					<b>\$0.00</b>

**PAYMENT OF FEES**

5. The full fee due in connection with this communication is provided as follows:
- ☒ The Commissioner is hereby authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account No.: 23-0085.  
A duplicate copy of this authorization is enclosed.
- ☒ A check in the amount of \$410.00
- ☐ Charge any fees required or credit any overpayments associated with this filing to Deposit Account No.: 23-0085.

Please direct all correspondence concerning the above-identified application to the following address:


**WAGNER, MURABITO & HAO LLP**  
Two North Market Street, Third Floor  
San Jose, California 95113  
(408) 938-9060

Respectfully submitted,

Date:

August 22, 2003

By:



Mehlin Dean Matthews  
Reg. No. 46,127



RECEIVED  
Patent  
SEP - 3 2003

SEP -3 2003

TECHNOLOGY CENTER 2800  
OFFICE

*[Faint handwritten notes at the bottom of the page]*

)

)

1

:

:

1

10

# E

\_\_\_\_\_

Examiner: NGUYEN, K.V.

- 1 -

AMENDMENTS TO THE SPECIFICATION

There are no amendments to the specification accompanying  
this response.

Serial No.: 09/987,628

Examiner: NGUYEN, K.V.  
Art Unit: 2817

AMENDMENTS TO THE DRAWINGS

There are no amendments to the drawings accompanying this response.

Serial No.: 09/987,628

Examiner: NGUYEN, K.V.  
Art Unit: 2817